





# Village of Sebewaing

Commercial & Industrial Energy Efficiency Program

2023 Incentive Application

## Ready to start your project? Follow these 3 simple steps.

#### Step #1: Request Pre-Approval

To ensure that your project is eligible and to reserve funds, please complete, sign and submit:

- 1. The Pre-Approval Agreement (found on page 2 of this application), completed and signed.
- 2. The worksheet(s) that are applicable to your project, completed (found on pages 4-13 of this application).
- 3. Itemized quote/proposal with model numbers from your contractor.
- 4. If this project is for new construction, please refer to the New Construction application on www.mienergysmart.com.
- 5. All Projects are subject to inspection before and/or after work is performed.
- 6. All projects must receive a reservation letter before work is performed.
- 7. New product specification sheets

### Step #2: Complete Your Project

If your project meets the pre-approval criteria, you will receive a letter indicating funds have been reserved. Following the specifications listed in this application, install your equipment within 90 days. Applications that are not completed within 90 days from the date on the acceptance letter are subject to cancellation. All equipment must be installed and operational within 90 days of the date on the acceptance letter or by November 30, 2023, whichever date comes first.

### Step #3: Get Your Cash Incentive

Once your project is complete, it's time to request your cash incentive. Within 30 days of project completion, you must submit:

- 1. The Payment Approval Agreement (found on page 3 of this application), completed and signed.
- 2. The itemized invoice(s) for materials and any applicable external labor costs, including the following:
  - Contractor's name and contact information
  - Customer's name and contact information
  - Date of invoice
  - Line item cost for each product
  - Quantities of each product
  - Complete product model numbers
  - Labor (and other) expenses listed separately from product costs
  - Total invoice amount

### Have questions?

Contact us at 877-674-7281.

Please submit your documents one of two ways:

**Fax** 517-203-0658

**Email** energysmart@franklinenergy.com



Pre-Approval Agreement

### **Pre-Approval Agreement**

Please complete and submit this page, along with the appropriate worksheet(s) and quotes with model numbers from your contractor, before you begin your project. If you plan to install the equipment yourself (as opposed to hiring a contractor to do so), please submit a quote/proposal for the cost of the equipment from a supplier or distributor. If your project meets the pre-approval criteria, you will receive a letter indicating the funds have been reserved. You can then proceed with completing your project, as described in Step #2 on page 1 of this application.

Name of Business		Phone	Email	
Mailing Address		City	State	ZIP Code
Installation Address		City	State	ZIP Code
Annual Hours of Operation	Village of Sebewaing Electric A	Account Number	Taxpayer ID # (SSN)	FEIN or Payee)
Building Use (Please Check One	): <b>New Construction</b> (re	efer to the New Construction applic	ation)	
☐ Office ☐ Retai	I □ Warehouse □ Re	estaurant 🗖 Grocery Store/	Supermarket	
☐ Manufacturing ☐ Lodg	ging 🗆 School (K-12) 🗀 Sc	chool (College) 🛮 Healthcare Fac	ility 🗖 C	ther/Miscellaneous
How did you learn about the prog	ram?	bsite 🛘 Online Ad 🗖 Mail/Bill Inse	rt 🛘 Event 🗖 Cont	ractor 🗆 Newspaper 🗆 Radio
Name of Supplier/Distributor		Contact Name		
Name of Installing Contractor		Contact Name		
Address		City	State	ZIP Code
Contractor Phone		Contractor Email		,
3. I have read and understand the a site inspection by a program of piece of equipment. I hereby agr	e Terms and Conditions included r utility representative. I understa ree to indemnify, hold harmless a	on is accurate and complete. 2. All r d with this document. I agree to verif nd that I am not allowed to receive nd release the utility from any action n, including liability from any inciden	ication of equipment more than one incent ns or claims in regard	installation which may include ive from this program on any to the installation, operation
Customer Signature			Date Su	bmitted
Print Customer Name			Estimate	ed Completion Date

You can submit your documents one of two ways...

**FAX** 517-203-0658

EMAIL

energysmart@franklinenergy.com



Payment Approval Agreement

### **Payment Approval Agreement**

Please complete and submit this page, along with your itemized invoice(s), within 30 days of project completion.

Name of Business						
Total Project Cost	Total Incentives	Requested	Pre-Approval	Incentive	ive Amount	
Mailing Address		City	State		ZIP Code	
Installation Address		City State MI			ZIP Code	
Print Name	Date		Installation Co	ompletio	on Date	
Certifications and Signature I certify that I am an eligible Village of Sebewaii in 2023. I certify that I have read and complied of facility may be inspected by employees or cont this application and that the project follows all	with the Terms an ractors/subcontra	d Conditions of this application. By actors of Village of Sebewaing to ve	submitting this	applicat	tion, I understand that this	
Customer Signature (Must Be Same Person Wh	o Signed Pre-App	oroval Agreement)				
OPTIONAL: Complete section belo	ow <b>ONLY</b> if in	ncentive is to be paid to a	third-party	other	than the customer.	
Make Payable To		Contact Name		Contact	Phone	
Mailing Address		City	State		ZIP Code	
Taxpayer ID # (FEIN or Payee)		Tax Status (Please Check One):				
		☐ Corporation ☐ Tax Exemp	t 🛮 Individu	ual [	☐ Other:	
Print Name			Date			
Certifications and Signature I am authorizing the payment of the incentive to understand that my release to a third party doe						
Customer Signature (Must Be Same Person Wh	o Signed Pre-App	oroval Agreement)				
I certify that I have read and complied with the	Terms and Condi	tions of this application.				
Third Party Rebate Recipient Signature						

You can submit your documents one of two ways...

**FAX** 517-203-0658

**EMAIL** 

energysmart@franklinenergy.com

Lighting Worksheet

### Lighting & Lighting Controls Worksheet (one-for-one unit replacement)

All lighting projects are required to comply with the IESNA recommended lighting levels or local code.

Measure	Specs	Quantity	\$ / Unit	Total
Screw-In Lamps				
LED Lamp replacement screw base CFL	Replace CFL with ENERGY STAR LED.		\$1 / Lamp	
LED A Series (replacing incandescent)			\$2 / Lamp	
LED Decorative (replacing incandescent)	D		\$4 / Lamp	
ED MR16 Lamp (less than 10W)	Replace an incandescent lamp with ENERGY STAR LED.		\$4 / Lamp	
ED PAR/BR Lamp			\$5 / Lamp	
Interior Fixtures				
LED Downlight Fixture	Replace incandescent lamped fixture with ENERGY STAR LED fixture.		\$20 / Fixture	
LED Exit Signs	Replacement or retrofit of an incandescent or fluorescent exit sign with LED.		\$13 / Fixture	
General Lighting Controls				
General Lighting Controls: < 150 sq ft	Available for passive infrared (PIR) and ultrasonic sensors.		\$10 / Sensor	
Interior Occupancy Sensors: 150-500 sq ft	Sensor installed for single fixture are only eligible for < 150 sq ft with the exception of single highbay fixture which are		\$20 / Sensor	
Interior Occupancy Sensors: > 500 sq ft	eligible for the 150-500 sq ft offering.		\$50 / Sensor	
Exterior Occupancy Sensors	Retrofit applications only. Baseline lighting system must operate continuously during night hours.		\$0.25 / watt controlled	
Exterior Multi-step Dimming Time Clock	Controlled lighting fixtures must operate at no more than 50% full rated power for at least five hours per night.		\$0.10 / watt controlled	
Interior Daylight Harvesting Sensor	The controls can be on/off, stepped or dimming and must vary the light output based on the level of sunlight received. The floor plan and control schedule must be submitted. Cannot be used with occupancy sensor.		\$0.09 / sq ft	
Comprehensive Lighting Controls				
Incentives for occupancy sensors or dayligh	nt controls cannot be received for same areas controlled by c and floor plans must be submitted.	omprehensive	lighting controls.	Control schedule
Interior Central Lighting Control	For automated central controls with override capability in interior spaces. Must be programmed considering occupant's schedule. Can include time clocks, package programmable relay panels and complete building automation controls.		\$0.06 / sq ft	
Network Lighting Controls	For central control of interior and/or exterior spaces. Must have step dimming, remote interface and control and small zone control capability. Must be on DLC Qualified Product List of Networked Lighting Controls and include three (3) savings control strategies including but not limited to time scheduling, daylight harvesting, occupancy/vacancy sensing, task tuning, load shedding, or high end trim.		\$0.17 / sq ft	

Lighting & Lighting Controls Worksheet Incentive Subtotal, page 4: \$

Lighting Worksheet continues on page 5.





Lighting Worksheet

## Lighting & Lighting Controls Worksheet, continued

All lighting projects are required to comply with the IESNA recommended lighting levels or local code.

Interior Lighting - Non-High Bay						
Incentives are eligible for re All new fixtures and retr						D.
Existing Fixture:			Watts/Fixture:		Quantity:	
Proposed Fixture:			Watts/Fixture:		Quantity:	
☐ Lamp-only replacement	Annual Operatin	g Hours:			·	
Total:	Watts Saved:	0.000	kWh Saved:	0.00	Incentive:	\$ 0.00
Existing Fixture:			Watts/Fixture:		Quantity:	
Proposed Fixture:			Watts/Fixture:		Quantity:	
☐ Lamp-only replacement	Annual Operatin	g Hours:				
Total:	Watts Saved:	0.000	kWh Saved:	0.00	Incentive:	\$ 0.00
Existing Fixture:			Watts/Fixture:		Quantity:	
Proposed Fixture:			Watts/Fixture:		Quantity:	
☐ Lamp-only replacement	Annual Operatin	g Hours:	·			
Total:	Watts Saved:	0.000	kWh Saved:	0.00	Incentive:	\$ 0.00

## **Standard Wattage Tables**

Standard W	attage Table
Fixture	Wattage
HID 50W	61
HID 70W	89
HID 100W	120
HID 150W	174
HID 175W	194
HID 200W	230
HID 250W	290
HID 400W	455
HID 750W	850
HID 1000W	1080

Existing 4 Foot Linear Fluorescent Fixtures						
	T8 F32	T12 F40 34W Mag	T12 F48 40W Mag	T5 F28	T5 F54 HO	
1 Lamp	30	43	51	33	59	
2 Lamp	59	72	82	63	117	
3 Lamp	88	115	133	96	179	
4 Lamp	115	144	164	126	234	
6 Lamp	162	216	266	192	351	
8 Lamp	230	288	328	252	468	
10 Lamp	295	360	410	315	585	
12 Lamp	345	460	492	384	702	

	Existing 8 Foot Linear Fluorescent Fixtures					
	T12 Mag (60W lamp)	T12 Mag STD (75W lamp)	T12 Mag (95W lamp)	T12 HO Mag STD (110W lamp)		
1 Lamp	75	-	112	-		
2 Lamp	128	173	227	257		

Existing U Lamp Fixtures					
T8 FU32 T12 FU40					
1 Lamp	29	43			
2 Lamp	55	63			
3 Lamp	81	115			

Existing 2 Foot Fluorescent Fixture					
	T8 F17	T12 F20			
1 Lamp	18	25			
2 Lamp	33	50			
3 Lamp	47	71			
4 Lamp	59	100			

Lighting & Lighting Controls Worksheet Incentive Subtotal, page 5: \$

Lighting Worksheet continues on page 6.

Note: Customer acknowledges and agrees that Customer cannot apply for, nor receive, incentives for the same product, equipment or service from more than one utility unless there are both electric and gas savings.

0.00



Lighting Worksheet

### Lighting & Lighting Controls Worksheet, continued

All lighting projects are required to comply with the IESNA recommended lighting levels or local code.

Interior Lighting — All High Bay L	ighting, 15 feet	and above for cei	ling height	
			ures with interior High Bay LED fixture, re LC <u>Premium</u> fixtures or retrofit kits is \$	
	s or lamps must b	e DLC. Existing wa	ttages used must come off of the Standa sites for proposed fixture for lamps.	
Existing Fixture:		-g	Watts/Fixture:	Quantity:
Proposed Fixture:			Watts/Fixture:	Quantity:
☐ Lamp-only replacement ☐ [	DLC Premium	Total:	Watts Saved:	Incentive:
Existing Fixture:			Watts/Fixture:	Quantity:
Proposed Fixture:			Watts/Fixture:	Quantity:
☐ Lamp-only replacement ☐ [	DLC Premium	Total:	Watts Saved:	Incentive:
Existing Fixture:			Watts/Fixture:	Quantity:
Proposed Fixture:			Watts/Fixture:	Quantity:
☐ Lamp-only replacement ☐ [	DLC Premium	Total:	Watts Saved:	Incentive:
Existing Fixture:			Watts/Fixture:	Quantity:
Proposed Fixture:			Watts/Fixture:	Quantity:
☐ Lamp-only replacement ☐ [	DLC Premium	Total:	Watts Saved:	Incentive:
Exterior Lighting				
reduced input wattage o Incentive is for fixtures th fixtures or retrofit kits	of at least 40%. Inc hat operate less t s is <b>\$0.45 per w</b> a	centives are per fixt han 24 hours per da I <b>tt reduced.</b> Existir	in exterior fixture with LED fixture, retroficure and are based on the nominal lamp ay. Incentive is \$0.35 per watt reduced ag wattages must come off of the Standa attage listed on DLC sites for proposed	wattage of the original fixture. <b>. Incentive for DLC Premium</b> rd Wattage Table on page 4.
Existing Fixture:			Watts/Fixture:	Quantity:
Proposed Fixture:				Quantity.
□ DLC Premium			Watts/Fixture:	Quantity:
		Total:	Watts/Fixture: Watts Saved:	,
Existing Fixture:		Total:		Quantity:
Existing Fixture:  Proposed Fixture:		Total:	Watts Saved:	Quantity: Incentive:
		Total:	Watts Saved: Watts/Fixture:	Quantity: Incentive: Quantity:
Proposed Fixture:			Watts Saved: Watts/Fixture: Watts/Fixture:	Quantity: Incentive: Quantity: Quantity:
Proposed Fixture:  DLC Premium			Watts Saved:  Watts/Fixture:  Watts/Fixture:  Watts Saved:	Quantity: Incentive: Quantity: Quantity: Incentive:
Proposed Fixture:  DLC Premium  Existing Fixture:			Watts Saved:  Watts/Fixture:  Watts Saved:  Watts Fixture:	Quantity: Incentive: Quantity: Quantity: Incentive: Quantity:
Proposed Fixture:  DLC Premium  Existing Fixture:  Proposed Fixture:		Total:	Watts Saved: Watts/Fixture: Watts/Fixture: Watts Saved: Watts/Fixture: Watts/Fixture:	Quantity: Incentive: Quantity: Quantity: Incentive: Quantity: Quantity: Quantity:
Proposed Fixture:  DLC Premium  Existing Fixture:  Proposed Fixture:  DLC Premium		Total:	Watts Saved:  Watts/Fixture:  Watts/Fixture:  Watts Saved:  Watts/Fixture:  Watts/Fixture:  Watts Saved:	Quantity: Incentive: Quantity: Quantity: Incentive: Quantity: Quantity: Quantity: Incentive:
Proposed Fixture:  DLC Premium  Existing Fixture:  Proposed Fixture:  DLC Premium  Existing Fixture:		Total:	Watts Saved:  Watts/Fixture:  Watts Saved:  Watts Fixture:  Watts/Fixture:  Watts/Fixture:  Watts Saved:  Watts Saved:	Quantity: Incentive: Quantity: Quantity: Incentive: Quantity: Quantity: Quantity: Incentive: Quantity:
Proposed Fixture:  DLC Premium  Existing Fixture:  Proposed Fixture:  DLC Premium  Existing Fixture:  Proposed Fixture:  DLC Premium  DLC Premium	iting & Ligh	Total:	Watts Saved:  Watts/Fixture:  Watts Saved:  Watts Fixture:  Watts/Fixture:  Watts/Fixture:  Watts Saved:  Watts Saved:  Watts Fixture:  Watts/Fixture:	Quantity: Incentive: Quantity: Quantity: Incentive: Quantity: Quantity: Quantity: Incentive: Quantity: Incentive: Quantity: Incentive:

**HVAC** Worksheet

#### **HVAC & HVAC Controls Worksheet**

Measure		Heat Pump Specs	AC Specs	Quantity	\$ / Unit	Total
Central Packaged/Split	System Replace	ment				
Air Conditioner/	≤ 5.4 Tons	ENERGY STAR® qualified:  • 16 SEER/15.2 SEER2  • 9.2 HPSF/ 7.8 HPSF2 (HP Split System)  • 8.5 HPSF/ 7.2 HPSF2 (HP Package)	ENERGY STAR qualified: 16 SEER / 15.2 SEER2		\$50 / Ton	
-	≤ 11.25 Tons	11.8 EER/12.8 IEER, 3.4 COP	12.4 EER / 17.8 IEER		\$50 / Ton	
	≤ 20 Tons	10.9 EER/12.0 IEER, 3.3 COP	12.5 EER / 16.8 IEER		\$50 / Ton	
	≤ 63.3 Tons	10.3 EER/12.1 IEER, 3.2 COP	10.6 EER / 12.1 IEER		\$50 / Ton	
	> 63.3 Tons	10.3 EER/12.1 IEER, 3.2 COP	10.2 EER		\$50 / Ton	
Measure	Sizes	FL Specs	IPLV Specs	Quantity	\$ / Unit	Total
HVAC Chiller Replacem	ent					
Incentives a	are not available	for back-up or redundant chillers. Must meet full-load (	Qualification and incentive base FL) OR part-load (IPLV).	ed on ratings at	AHRI Conditions	S.
Air-Cooled	All Sizes	≤ 1.14 kW/ton	≤ 0.71 kW/ton		\$40 / Ton	
	≤ 150 Tons	≤ 0.69 kW/ton	≤ 0.46 kW/ton		\$40 / Ton	
Water-Cooled Positive	≤ 300 Tons	≤ 0.63 kW/ton	≤ 0.41 kW/ton		\$40 / Ton	
Displacement	> 300 and ≤ 600 Tons	≤ 0.58 kW/ton	≤ 0.38 kW/ton		\$40 / Ton	
	≤ 150 Tons	≤ 0.58 kW/ton	≤ 0.41 kW/ton		\$40 / Ton	
Water-Cooled Centrifugal	≤ 300 Tons	≤ 0.58 kW/ton	≤ 0.37 kW/ton		\$40 / Ton	
	≤ 600 Tons	≤ 0.53 kW/ton	≤ 0.35 kW/ton		\$40 / Ton	
Measure		Specs		Quantity	\$ / Unit	Total
Computer Room Air Co	nditioning (CRA	.C)				
		Air Cooled; min SCOP	= 2.2			
High Efficiency CRAC Unit		Water Cooled; min SCO	P = 2.51		\$14 / MBH	
		Glycol Cooled; min SCO	P = 2.08			
		Air Cooled Refrigerant Ec	onomizer			
CRAC Unit Economizer		Air Cooled Air Side Eco	nomizer		\$35 / MBH	
		Glycol Cooled Glycol Eco	onomizer			
VFD on Existing CRAC U	nit Process Fans				\$150 / HP	
Data Room Hot/Cold		Return Air Temp Increas			\$10 / MBH	
Aisle Configuration		Return Air Temp Increase	e ≥ 10°F		\$20 / MBH	
Measure		Specs		Quantity	\$ / Unit	Total
Maintenance						
Air-Cooled & Water- Cooled Chiller Tune-Up		Chiller must be ≥ 20 Tons. Eligib	le every 2 years.		\$350 / Unit	
Cogged Belt Drive		Cogged belt replacing standard	V-shaped belt.		\$5 / HP	
Synchronous Belt Drive		Synchronous belt replacing standa	ard V shapad halt		\$9 / HP	-

HVAC & HVAC Controls Worksheet Incentive Subtotal, page 7: | \$

HVAC & HVAC Controls Worksheet continues on page 8.



**HVAC** Worksheet

## HVAC & HVAC Controls Worksheet, continued

Measure	HP	Quantity	\$ / Unit	Total
Variable Frequency Drive	es (VFD) - HVAC			
automatica To qualify	must be added to existing pumping or air handling applications related to Ily controlled by a variable signal and have load diversity that will result in for HVAC equipment the motor size must be ≤ 100 HP and annual hours n back-up units and replacements of existing VFDs do not qualify. See Man	savings throug nust be ≥ 1800	h motor speed varia hours. Redundant u	tion. nits,
HVAC Fan			\$60 / HP	
HVAC Fan			\$60 / HP	
HVAC Pump			\$75 / HP	
HVAC Pump			\$75 / HP	
ECM Pump			\$100 / HP	
ECM Pump			\$100 / HP	

Measure	Specs	Quantity \$ / Unit		Total
HVAC Controls				
Building Temperature Controls	Must control central AC and replace a non- programmable building management system. The new system must offer time of day controls and a minimum temperature setback of 8 degrees (heating/cooling).		\$45 / 1,000 sq ft	
Occupancy Sensor Control for HVAC	Installation of new controls to an existing EMS system which automatically control the HVAC system based on occupancy sensors. Provide wiring schematic at the time of submitting pre-approval.		\$30 / 1,000 sq ft	
Constant Volume AHU to VAV	Converting constant volume air handling system to a variable air volume. Must have reheat and supply at least four zones.		\$450 / 1,000 sq ft	
Air Side Economizer	Available for air handling units supplying air conditioning which have none or inoperable economizer controls.		\$15 / ton	
Critical Zone Supply Air Reset Control	Available for addition of critical zone reset (static pressure reset) controls to VAV system. Airflow at each VAV box must be monitored and adjust control sequences must be in accordance to ASHRAE 90.1.		\$35 / ton	
Advanced Rooftop HVAC Control	For addition of enhanced ventilation control to single- zone packaged HVAC units or rooftops. Must include: advanced digital economizer control system, demand control ventilation and VSD supply fan.		\$80 / ton	
Chilled Water Reset 5°F	Available for installing a chiller water reset to allow supply		\$15 / ton	
Chilled Water Reset 10°F	chilled water temperature to increase based by 5°F or 10°F based on either zone demand or outdoor air temperature.  Provide reset schedule. Reset schedules with chillers in economizing mode do not qualify.		\$30 / ton	
Optimized Chiller Plant Sequencing	Implementation of automated optimized chiller sequencing in existing chiller plants (2 or more chillers) where the existing chillers currently operate with stand-alone controls. Water-cooled plants must also control corresponding cooling towers and condenser water pumps.		\$4 / ton	
Hotel GREM Controls – A/C with Electric Heat	For sensors which automatically control HVAC equipment. Incentive is for new controls only		\$65 / Unit	
Hotel GREM Controls – A/C with Gas Heat	and is offered per room installed.		\$10 / Unit	

HVAC & HVAC Controls Worksheet Incentive Subtotal, page 8:	\$
HVAC & HVAC Controls Worksheet Incentive TOTAL:	\$



Compressed Air Worksheet

## **Compressed Air & Industrial Worksheet**

Measure	Specs	Quantity	\$ / Unit	Total
Compressed Air Equipment				
VSD Air Compressor (< 301 HP)	Replacement of constant speed compressor with rotary screw compressor controlled by a VSD. Annual operating hours must be more than 2000 hours. Not available for back up/redundant compressor.	\$150 / HP		
Variable Displacement Air Compressor	New variable displacement screw compressor replacing a screw compressor with modulating or load/no load control. Annual operation hours ≥ 4000 hours.		\$35 / HP	
Two Stage Rotary Screw Air Compressor	New two-stage screw compressor of at least 50 HP.		\$20 / HP	
Desiccant to Refrigerated Air Dryer	New externally heated or blower purge air dryer replacing a desiccant dryer. Dryers installed on inlet modulating compressors are not eligible.		\$4 / SCFM	
Heat of Compression Air Dryer	Waste heat from oil-free air compressor used to regenerate desiccant dryer. System HP must be greater than 50.		\$4 / SCFM	
Refrigerated Cycling Thermal Mass Air Dryer	Available for replacing a non-cycling refrigerated		\$2 / SCFM	
Variable Speed Air Dryer	air dryer with a cycling refrigerated dryer		\$2 / SCFM	
Refrigerated Cycling Digital Scroll Air Dryer	of equal capacity.		\$2 / SCFM	
Dew-Point Sensor Control for Desiccant Dryer	Available for dewpoint sensor control as a retrofit or an option on a new dryer. Dryers installed on inlet modulating compressors are not eligible.		\$5 / SCFM	
Compressed Air Storage Tank (If going from < 1 gal/cfm to > 5 gal/cfm,	Existing: ≤ 1 gal/cfm to new ≥ 3 gal/cfm		\$50 / HP	
the < 1 to > 3 and < 3 to > 5 measures can be used concurrently. HP and gal/cfm used must be from the	Existing: ≤ 3 gal/cfm to new ≥ 5 gal/cfm		\$50 / HP	
trim compressor. Only for screw compressor systems operating greater than 90 psig.	Existing: ≤ 5 gal/cfm to new ≥ 10 gal/cfm		\$30 / HP	
Air Compressor Outside Air Intake	Ducted outside air must provide compressed air supply. Compressor must run at least 2000 hours at 80 psig or greater.		\$8.50 / HP	
Flow Controller	The actual air compressor discharge pressure set point must be reduced by 5 psig, must be a minimum of 50 horsepower.		\$10 / HP	
Engineered Nozzles	A new compressed air nozzle installed on an open pipe or tube. Usage must be greater than 1000 hours.		\$150 / Nozzle	
Low-Pressure Drop Air Filters for Compressed Air	New low pressure drop filter (PSID ≤ 1 initial differential) replacing a standard coalescing filter.		\$5 / HP	
No-loss Drains – Compressed Air	Replacing manual or timer drains.		\$150 / Drain	

Compressed Air & Industrial Worksheet Incentive Subtotal, page 9: \$

Compressed Air & Industrial Worksheet continues on page 10.





Compressed Air Worksheet

## Compressed Air & Industrial Worksheet, continued

Measure	Description	Quantity	\$ / Unit	Total			
Compressed Air Energy Audit and Leak Reduction							
Incentives are available for the repair of a minimum of 50% of leaks by CFM documented in a leak audit of a compressed air system which was performed by a qualified, independent contractor. Customer or contractor can repair the leaks. <b>Pre-approval is required prior to repairing leaks.</b>							
To qualify for p	ore-approval: To re	ceive incentiv	ve payment:				
Submit evidence of the compressed air audit leaks utilizing a spreadsheet detailing:  Date of inspection.  The leak locations.  Estimated size of leak by volume (SCFM).  Secure a tag at each leak location stating data above.  Submit payment form, invoice and evidence leaks utilizing a spreadsheet and notes on to leak utilizing a spreadsheet and notes on to leaks utilizing a spreadsheet and notes on to leak u				:			
Compressed Air Leak Audit AND Repair of 50% of Documented Leaks by Volume	□ VSD □ Non-VSD		\$15 / HP				
Measure	Description	Quantity	\$ / Unit	Total			
Variable Frequency Drives (VFD) - Process							
Drives must be added to existing pumping or air handling applications related to process applications. VFDs must be automatically controlled by a variable signal and have load diversity that will result in savings through motor speed variation.  To qualify for Process equipment, motor size must be ≤ 50 HP and annual hours must be ≥ 2,000 hours.  Redundant units, soft start, back-up units and replacements of existing VFDs do not qualify.							
Process Fan			\$75 / HP				
Process Fan			\$75 / HP				
Process Pump			\$75 / HP				
Process Pump			\$75 / HP				
Measure	Description	Quantity	\$ / Unit	Total			
Plastics Industry							
	All-Electric replacing existing hydraulic or expanded capacity.		\$20 / metric ton				
Injection Molding Machine	Hybrid (servo hydraulic) replacing existing hydraulic or expanded capacity.		\$20 / metric ton				
	New VSD hydraulic machine or VSD retrofit to existing hydraulic machine. 4,000 annual hours minimum.		\$10 / metric ton				
Barrel Wrap Insulation  Available for insulated blanket installed around uninsulated barrels of extruders or injection molders.  \$100 / sq. ft							

Compressed Air & Industrial Worksheet Incentive Subtotal, page 10:	\$
Compressed Air & Industrial Worksheet Incentive TOTAL:	\$



Refrigeration Worksheet

## **Refrigeration Worksheet**

Measure	Specs	Quantity	\$ / Unit	Total
Commercial Refrigeration Systems				
Floating Head Pressure Control	Available for systems without control. Controls must vary head pressure based on outdoor air temperature with at least 20°F variance must be achieved in milder weather. Capped at 50% of project cost.		\$125 / Ton	
Anti-Sweat Heater Controls	Controls which monitor relative humidity and turn off anti-sweat heaters when appropriate.		\$80 / Door	
No Heat Reach-In Case Doors	Replace existing case door with special glass door that requires no anti-sweat heat.		\$150 / Door	
LED Grocery Case Lighting	Replace T12 or T8 with DLC listed LED lighting in refrigerator or freezer cases.		\$40 / Door	
Occupancy Sensor for LED Case Lighting	Sensors which automatically turn on LED cooler lighting when motion is detected.		\$10 / Door	
Walk-In or Case Cooler/Freezer ECM	Replacement of PSC or shaded pole evaporator motors with an ECM motor.		\$100 / Motor	
Evaporator Fan Motor Control	Available for walk-in units where fan(s) run continuously.  Must lower air flow when there is no refrigerant flow through  evaporator. Must be > 15 and < 40 cubic feet.		\$50 / Controller	
Evaporator Fan Motor Control with Demand Defrost – Cooler	Available for waik-in units where fan(s) run		\$4 / Ton	
Evaporator Fan Motor Control with Demand Defrost – Freezer	continuously and defrost is on a time clock.		\$40 / Ton	
Cooler/Freezer Defrost Control	Refrigerator must be used in a commercial setting. Must be > 15 and < 40 cubic feet.		\$20 / Ton	
Cooler/Freezer Door Gaskets	Installation of new gaskets to reduce air infiltration on a cooler or freezer door.		\$2.50 / Linear Foot	
Cooler Night Covers	Vertical covers designed for refrigerated display cases. Incentive is based on linear length of cooler and the time per day covers are used.		\$1 / Foot / Hour	
Cooler Strip Curtains	Installation of new curtains isolating a cold storage area.		\$5 / ft2	
Freezer Strip Curtains	Installation of new curtains isolating a freezer storage area.		\$25 / ft2	
High Speed Door (Cooler-Dock)	High speed door replacing strip curtains between a cooler space and dock space.		\$15 / Door	
High Speed Door (Cooler-Freezer)	High speed door replacing strip curtains between a cooler space and freezer space.		\$70 / Door	
High Speed Door (Freezer-Dock)	High speed door replacing strip curtains between a freezer space and dock space.		\$145 / Door	
Recycling of Refrigerators	Refrigerator must be used in a commercial setting. Must be > 15 and < 40 cubic feet.		\$50 / Unit	

Refrigeration Worksheet Incentive TOTAL: \$



Food Service, Computers and EV Worksheet

## Food Service, Computers and EV Worksheet

Measure	Specs	Product Information	Quantity	\$ / Unit	Total
Commercial Kitchen Systems					
ENERGY STAR® Refrigerator  Check one: □ Solid Door □ Glass Door		ft³		\$100 / Unit	
ENERGY STAR Freezer  Check one: □ Solid Door □ Glass Door		ft <sup>3</sup>		\$100 / Unit	
ENERGY STAR Ice Machine		lbs/day		\$400 / Unit	
	3-pan	Unit		\$900 / Unit	
ENERGY STAR Electric Steam Cooker	4-pan	Unit		\$1000 / Unit	
ENERGY STAR Electric Steam Cooker	5-pan	Unit		\$1100 / Unit	
	6-pan	Unit		\$1200 / Unit	
ENERGY STAR Electric Fryer				\$80 / Unit	
	Full	Unit		\$400 / Unit	
ENERGY STAR Hot Holding Cabinets	3/4	Unit		\$300 / Unit	
	Half	Unit		\$200 / Unit	
ENERGY STAR Commercial Dishwasher				\$600 / Unit	
Measure	Specs	Product Information	Quantity	\$ / Unit	Total
Computer Controls					
Network Power Management Software	New installation must allow centralized control at the server level of the power management settings (sleep mode and shutdown) of desktop computers on a distributed network and must report energy savings.			\$8 / PC controlled	
Computer Controls					
Connected EV Charger	Must be a Level 2 or Level 3 Charger. Must be 240 volts and hard-wired. Must have Wi-Fi connectivity. Subject to funding availability. Multiple chargers at MPPA members approval.			\$80/kW capped at \$2000 per charger	

Food Service, Computers and EV Worksheet Incentive TOTAL: \$



**Custom Worksheet** 

#### **Custom Worksheet**

When applying for pre-approval of a custom project, you **must** submit the following items:

These incentives are available to customers for energy-saving measures that are not covered by the prescriptive portion of the program. Custom incentives are based on the first-year energy (kWh) savings.

1. Completed and signed Pre-Approval Agreement (page 2)			Custom Incentive Rate		centive Rate		
2. Completed Custom Worksheet (below) 3. Itemized quote/proposal for all related materials and any external labor 4. Manufacturer's specification sheets for all equipment  \$0.10 /			•	Non-lighting <b>\$0.12 / kWh</b>			
Custom Project – Item 1							
Before Retrofit:			Existing Wattage				
After Retrofit:			Proposed Wattage				
Electric Rate (\$ / kWh):	Project Cos	t:	Annual Operating Hours	:	Payback Pe	yback Period*:	
	Total:	Calculated Annual kWh S	Savings:	Calculated I	ncentive:		
Custom Project – Item 2							
Before Retrofit:			Existing Wattage				
After Retrofit: Proposed Wattage							
Electric Rate (\$ / kWh):	Project Cos	t:	Annual Operating Hours	:	Payback Pe	Payback Period*:	
	Total: Calculated Annual kWh Savings: Calculated Incer			Incentive:	entive:		
Custom Project – Item 3							
Before Retrofit: Existing Wattage							
After Retrofit: Proposed Wattage							
Electric Rate (\$ / kWh):	Project Cos	t:	Annual Operating Hours	:	Payback Pe	eriod*:	
Total: Calculated Annual kWh Savings: Calculated Incer			Incentive:				
* Payback Period must be greater than or equal to one (1) and less than or equal to eight (8) Payback period $=\frac{1}{(Annual Payback Period P$				Increm Annual kWh	nental Measure Cost n Saved x Electricity Rate)		
			Total Custon	n Measure Co	ost: \$	0.00	
Custom Worksheet Incentive TOTAL: (Cannot exceed 50% of the total custom project cost)					σ.	0.00	
Lighting & Lighting Controls					ols \$		
HVAC & HVAC Controls							
Compressed Air & Industrial							
Refrigeration				ion \$			
Food Service, Computers & Electric Vehicle Charging							
Custom					0.00		
All Worksheet Incentive TOTAL:				<b>AL:</b> \$	0.00		

Note: Customer acknowledges and agrees that Customer cannot apply for, nor receive, incentives for the same product, equipment or service from more than one utility unless there are both electric and gas savings.



Terms and Conditions

#### **Terms and Conditions**

- 1. Eligibility: These incentives are offered by your Energy Smart utility to commercial and industrial electric customers installing energy efficient equipment only. For questions regarding eligibility, call 877-674-7281.
- 2. Incentive Offer: Energy efficient equipment subject to incentive from your Energy Smart utility must be installed and operational by November 30, 2023. Applicant has 90 days from the date of the acceptance letter to complete the proposed project. Applications that are not completed within 90 days are subject to cancellation. Additionally, invoice(s) related to the equipment upgrade must be submitted to Energy Smart within 30 calendar days of installation (completion) and no later than November 30, 2023. Please keep a copy for your records. Incentives are calculated based on prescriptive incentive rates and shall not exceed the total cost of equipment, labor, and other associated project costs.
- 3. Project Documentation Requirements: Customer will have to provide your Energy Smart utility with the documentation as listed in the instructions (page 1). If Customer does not provide the required project documents to Energy Smart at pre-approval and payment stages, the project may be disqualified from the program. The project may also be disqualified if pre-approval is not received, unless otherwise noted on the application.
- 4. Energy Efficiency Improvement Qualifications: Increased energy efficiency resulting from peak shaving, demand limiting, or operating schedule changes does not qualify. To qualify, lighting equipment must have a planned minimum usage of 1,800 hours per year. Non-lighting equipment must have a planned minimum usage of 1,500 hours per year. If Customer's equipment does not meet required usage hours per year, an incentive cannot be offered. If Customer has questions or concerns about above qualifications, Customer may contact Energy Smart to discuss.
- 5. Incentive Limit: Prescriptive and Custom project applications may receive or cumulate a maximum of \$2,000 combined per customer name and/or business entity each calendar year. Incentive limit is subject to change without notice. Incentives for measures can be up to 100% for Prescriptive projects and 50% for Custom projects of the total project cost of a specific measure but shall not exceed the incentives set by your Energy Smart utility for each measure on the application Worksheet(s).
- 6. Compliance:
  - a. All projects must comply with applicable federal, state and local laws.
  - b. All equipment must be new or retrofitted with new components.
  - c. The purchase and installation of used equipment is not eligible for incentives. Existing equipment must be removed and/or permanently disconnected.
  - d. Equipment must meet specification requirements as defined in application Worksheets and Equipment Guidelines.
- 7. Payment: Approved Final Applications will receive payment within 8-10 weeks of signed payment approval. Incomplete applications will either delay payments or result in denial of application approval. Your Energy Smart utility reserves the right to refuse payment and disqualify Customer from participating in the program if the customer or their contractor violates any program Terms and Conditions. The qualified equipment must be installed and operating for the rated life of the product(s) or for a period of three (3) years from receipt of rebate, whichever is more. If the qualified equipment is removed or replaced with less efficient equipment, or if Customer ceases to be a customer of your Energy Smart utility during the three (3) years, Customer shall refund a prorated amount of rebate dollars based on the time installed within thirty (30) days of receipt of notice from your Energy Smart utility.
- 8. Inspection: Energy Smart staff may conduct inspection(s) of the project site to survey existing conditions and/or newly installed equipment.
- 9. Publicity: Your Energy Smart utility reserves the right to publicize Customer's participation in this program, unless Customer specifically requests in writing otherwise.
- 10. Program Discretion: Incentives are available on a first-come, first-served basis. Incentive amounts and offerings are subject to change and/or termination without notice and at the discretion of your Energy Smart utility.
- 11. Disclaimers: Your Energy Smart utility:
  - a. does not endorse any particular manufacturer, product, labor or system design by offering this program;
  - b. is not responsible for any tax liability imposed on the customer as a result of the payment of incentives. Your Energy Smart utility is tax exempt;
  - c. does not expressly or implicitly warrant the performance of installed equipment or contractor's quality of work (contact your contractor for detailed warranties);
  - d. is not responsible for the proper disposal/recycling of any waste generated as a result of this project;
  - e. is not liable for any damage caused by the installation of the equipment and/or for any damage caused by the malfunction of the installed equipment.
- 12. Participating Trade Ally Program: Participating Trade Allies must adhere to standards of acceptable behavior and performance. Violation of these standards could result in removal from the program. Should an alleged violation occur, the contractor will be contacted.
- 13. Indemnification: Customer shall, to the fullest extent permitted by law, indemnify and hold harmless your Energy Smart utility, and their officers, agents and employees harmless from and against all losses and litigation expenses arising out of or resulting from the performance of work hereunder and caused, in whole or part, by any act or omission of Contractor. Your Energy Smart utility shall further be entitled to all cost (which include both internal and external) incurred in the process of enforcing this or any other provision under this agreement. This provision is not intended and is not to be construed as a waiver of the defense of governmental immunity otherwise available nor is it construed as a waiver of the defense of governmental immunity otherwise available nor is it intended to grant third party beneficiary status to any person or entity.
- 14. Governing Law: This agreement is construed in accordance with Michigan law, without regard to conflict of laws, provisions, and venue is in the county in which the municipality resides.
- 15. Intellectual Property: No rights in copyright, patents, trademarks, trade secrets, or other intellectual property are granted to contractor and/or subcontractor except as expressly provided under these Terms. Contractor and/or subcontractor will not register or use any mark and/or internet domain name that contains any Energy Smart intellectual property.

You can submit your documents one of two ways...

**FAX** 517-203-0658

**EMAIL** energysmart@franklinenergy.com